

BID99222CXUK

Hisense

Multisystem oven



Interior Lighting

General information

| | | | |
|--------------------------|-----------------------------|---------------------------------|-------------------------|
| Product group: | Double oven | Oven type: | Multisystem oven |
| Energy efficiency class: | A | Energy efficiency class oven 2: | A |
| Colour of the product: | Stainless Steel | Control panel material: | Stainless steel |
| Interior material: | Extra Durable Enamel | Cavity material of oven 2: | Enamelled steel |

Efficiency

| | | | |
|---------------------|-------------|-----------------------|-------------|
| Usable oven volume: | 72 L | Usable oven volume 2: | 38 L |
|---------------------|-------------|-----------------------|-------------|

Control

| | | | |
|----------------------|-------------------|---|---------------|
| Temperature control: | Mechanical | Max. temperature control in lower oven: | 250 °C |
| Timer: | Electronic | | |

Heating types

| | | | |
|---------------|---------------------|---------------|------------------------|
| Heating type: | Defrost Mode | Heating type: | Circular heater |
|---------------|---------------------|---------------|------------------------|

Features

| | | | |
|---|---------------|----------------------|---------------|
| Interior light: | Behind | Oven illumination 2: | Behind |
| Simultaneous baking on multiple levels: | Yes | | |

Equipment

| | | | |
|----------------------|---------------------|-------------------------------------|-------------------|
| Oven guides: | 1 wire guide | Oven guides for lower oven: | Wire guide |
| Roasting spit set: | No | Wire shelf: | 1 pcs |
| Wire shelf (oven 2): | 1 pcs | Multifunctional oven grid (oven 2): | Yes |
| Carrying handle: | No | | |

Safety

| | | | |
|---------------|--|--------------------------|--|
| Door glazing: | Double glazed oven door with one heat deflector | Lower oven door glazing: | Double glazed oven door with one heat deflector |
|---------------|--|--------------------------|--|

Cleaning

| | | | |
|------------------------|-----------|--|--|
| Lower oven catalytic : | No | | |
|------------------------|-----------|--|--|

Technical data

| | | | |
|--|-----------------|-------------------|-------------|
| Energy consumption lower conventional oven : | 0.71 kWh | Lower oven power: | 4 kW |
|--|-----------------|-------------------|-------------|

| | | | |
|--|------------------|---|----------------------|
| Connected load: | 4 kW | Width of the product: | 600 mm |
| Height of the product: | 870 mm | Depth of the product: | 550 mm |
| Width of niche size for installation min.: | 560 mm | Height of niche size for installation min.: | 885 mm |
| Depth of niche size for installation min.: | 550 mm | Width of the packed product: | 700 mm |
| Height of the packed product: | 950 mm | Depth of the packed product: | 720 mm |
| Gross weight: | 56.8 kg | Net weight: | 50.2 kg |
| Voltage: | 220-240 V | Frequency: | 50 Hz, 60 Hz |
| Product code: | 738682 | EAN code: | 3838782515002 |

